



DRILLING FLUIDS EQUIPMENT

For over 30 years OFI Testing Equipment (OFITE) has provided instruments and reagents for testing drilling fluids, well cements, completion fluids, and wastewater. In addition to these product lines we also offer a range of instruments for core analysis. From our manufacturing facility in Houston, TX we provide customers all over the world with quality products and exceptional service.

Our drilling fluids product line includes innovative designs such as the Model 900 Viscometer, which showcases our ability to develop new technology to meet customer and industry demands. We also offer Retorts, Aging Cells, Roller Ovens, Mud Balances, Filter Presses, and all other instruments required to evaluate drilling fluid properties according to API Recommended Practice 13B-1 and 13B-2.

As an independent manufacturer and supplier, OFITE has one priority, our customers.

Differential Sticking Tester

The OFITE Differential Sticking Tester measures the "Stuck Pipe Tendency Coefficient" of drilling fluids, and also determines how effective lubricants or treatments might be with any given drilling fluid.



Features Include:

- Pressurized with a standard CO₂ Pressure Assembly
- Torque plate with 12.5" radius to simulate casing
- Field portable





Technical Specifications and Requirements

150-50 - Differential Sticking Tester

Specifications

- Standard Test Pressure: 477.5 PSI (3,291 kPa)
- Working Temperature: Ambient
- Working Volume: 200 mL
- Size: 6" × 6" × 18" (15 × 15 × 46 cm)
- Weight: 26 lb (11.8 kg)

Optional Items Include:



155-20 - Interval Timer



143-05 - CO₂ Bulbs